Torque Ripple Reduction in an Axial Flux High Temperature Superconducting Motor

A. González-Parada, F. Trillaud, R. Guzmán-Cabrera, and M. Abatal

Abstract—The design, construction, and operation of superconducting rotatory machines in an axial flux configuration are strongly dependent on the ability to reduce torque ripple. A new concept is presented in order to maximize the output power optimizing the magnetic flux density within the air gap of a threephase fully superconducting induction motor. The machine is designed on a basis of bilateral stators distributed around a central rotor. The optimal distribution of magnetic flux and the minimization of torque ripple are resulting from an adequate distribution of motor phases, number of rotor bars, and choice of air-gap thickness. The magnitude of magnetic flux in the air gap is obtained by means of finite-element analysis, and some derived parameters are compared to experimental results. Then, the impact of the design on torque magnitude and torque ripple is discussed.

Index Terms—Air gap magnetic flux density, axial flux machine, HTS motors, torque ripple.

I. INTRODUCTION

HE MAIN characteristics of Axial Flux Machines (AFM) are twofold: (1) the magnetic field is aligned with the axis of the electrical machine and (2) the active current in conductors is radial. Due to their planar configuration, the air gap between stator and rotor can be adjusted, and greater power to weight and diameter to length ratios as well as compacter constructions with higher efficiency can be achieved [1], [2]. These advantages have led to numerous research studies to introduce High Temperature Superconductor (HTS) technology into AFM's [2]-[4]. Most of these studies focused on the design and construction of hysteresis and reluctance motors using YBCO bulk parts made of single piece or several disks uniformly distributed around the rotor [3]. Thus, replacing permanent magnets for field-cooled bulk YBCO materials allows increasing the magnetic field in the air gap and achieve compacter full superconducting machines [5].

The following article presents a new concept replacing bulk materials by an assembly of HTS tapes as part of the development of a hysteresis AFM. In the proposed design, the resulting torque results from the interaction of the currents induced in

Manuscript received August 8, 2014; accepted December 11, 2014. Date of publication December 19, 2014; date of current version February 5, 2015. This work was supported by the CONACYT under Grant 081377.

A. Gonzalez-Parada and R. Guzman-Cabrera are with the University of Guanajuato, 37000 León, Mexico (e-mail: gonzaleza@ugto.mx; guzmanc@ugto.mx).

F. Trillaud is with the Engineering Institute, National Autonomous University of Mexico, 04510 México D. F., Mexico (e-mail: ftrillaudp@gmail.com).

M. Abatal is with Carmen Autonomous University, 24180 Ciudad del Carmen, Mexico (e-mail: mabatal@pampano.unacar.mx).

Color versions of one or more of the figures in this paper are available online at http://ieeexplore.ieee.org.

Digital Object Identifier 10.1109/TASC.2014.2384738

the superconducting tapes and the magnetic flux density created by the stator. One of the drawbacks of this configuration is the production of an undesired torque ripple affecting the machine performance, which results from the distortion of the magnetic flux density in the air gap. Many techniques for torque ripple minimization are documented in literature [6], [7]. These techniques include magnet pole shaping, air gap length adjustment, pole to arc ratio and slot less configurations, amongst others. All of these optimization processes may be applied to AFM's, considering the manufacturing costs and production method as well [4]-[7]. Avoiding bulk material yields some advantages against the loss of field density and the necessary presence of additional dissipation due mainly to splices. Thus, in addition to bringing simpler assembly procedure and greater mechanical stability, the principal advantage is the absence of demagnetization effects against induced heat loads in AC operation affecting the overall performance of HTS bulks in electrical machines [8], [9].

The present work focuses on the construction and operation of a full superconducting AFM based on Bi2223 tapes operated at 77.3 K in liquid nitrogen applying design rules and using a preliminary numerical model to help in choosing the best stator-to-rotor configuration. Measurements of torque ripple have been conducted to show the influence of some key design parameters on results.

II. BASIC DESIGN PARAMETERS

A. Optimum Magnetic Flux in Air Gap and Torque Ripple

An estimation of torque ripple, taking into account change of total stored energy in the air gap considering the rotor position, may be given by the following relation [4]:

$$T_{\rm Ripple} = \frac{2p}{\pi} m N k_w \phi I_a \tag{1}$$

where ϕ is the air gap magnetic flux, I_a is the stator current, p is the pole number, m is phase number, N is the number of turns in series per phase, and k_w is the winding factor defined as the product of the distribution factor (k_d) and the pitch factor (k_p) .

To compute the torque ripple, it is necessary to assess the amount of magnetic flux crossing the air gap. The axial flux density in any point along the axial length in the motor can be calculated by means of (2), assuming $\lambda \ll r$, as follows [7]:

$$B_{\lambda} = \frac{\mu_0 e_{\rm mmf}}{\lambda} \sin \frac{p}{2} \theta \tag{2}$$

1051-8223 © 2014 IEEE. Personal use is permitted, but republication/redistribution requires IEEE permission. See http://www.ieee.org/publications_standards/publications/rights/index.html for more information.



Fig. 1. Parameter distribution in an axial flux machine.

where $e_{\rm mmf}$ is the magnetomotive force and λ is the air gap thickness as depicted in Fig. 1.

From (2) and assuming a constant magnetic flux density per pole, the corresponding magnetic flux per pole can be estimated as follows [1]:

$$\Phi_{\text{pole}} = \left(\frac{D_o^2}{D_i^2} - 1\right) \frac{D_i^2}{4p} B_\lambda \tag{3}$$

where D_o is the outer diameter, D_i is the inner diameter, and B_{λ} , is the approximated magnetic flux density in the air gap for a given thickness λ . The ratio (D_o/D_i) is used to optimize the air gap magnetic flux taking into account the phase number, current and geometric constructions [6], [7], [10], [11].

B. Rules Applied to Design the Rotor Cage

Several authors [12]–[23] showed that for a given number of phases, various feasible pole and slot number combinations exist. If S_s is the number of slots in the stator and S_r is the number of slots in the rotor, or in the present case, the number of radial tapes, the selection should consider the following requirements:

- 1) To avoid noise and vibrations, the relation between S_s and S_r must be such that $S_s S_{r\neq} \{\pm 1, \pm 2, \pm (p \pm 1), \pm (p \pm 2)\}$.
- 2) To avoid deadlocks and peaks in the starting current, the difference $S_s S_r$ must be different from any multiples of 3p.
- 3) To avoid peaks in par-velocity curve, $S_s S_r$ must be different from $\pm p$, -2p or -5p.
- 4) $S_{\rm r}$ must be different to any odd numbers of rotor bars.

Other design parameters such as magnetic field distribution, slot opening air gap length, pole-arc-to-pole pitch ratio, etc., may be taken into account as well. Amongst the diverse parameters affecting the machine performance of squirrel cage rotors, the slot number and pole number combinations represent a good indication of its ripple characteristic. In practice, not all the conditions can be met, but most of them may be taken in account to some extent, especially when the motor has a small number of poles.

III. MOTOR DESIGN DETAIL AND CONSTRUCTION

A. General Characteristics of Motor and HTS Tape

The motor is constituted of two bilateral stators surrounding a squirrel cage-like rotor. Salient parameters of the HTS stator and rotor, both made of Bi2223, are given in table. The resis-

TABLE I HTS MOTOR GENERAL CHARACTERISTICS

| Description | Characteristics |
|--------------------------------|--|
| HTS Tape | BSCCO-2223 |
| Phase number | 3 |
| Pole number | 8 |
| Operation Voltage | 220 V |
| Frequency | 60 Hz |
| Nominal Speed | 180 rpm |
| Critical Current (I_c) | 100A^* |
| Construction | Two bilateral stators, one central rotor |
| External diameter | 165 mm |
| Air gap | 3 mm |
| Resistance per splice/phase | 11.4 x10 ⁻³ Ω |
| Total number of splices/phase | 32 |
| AC total losses | 8.42 kW ** |

* *I_c* determined after the welding process of the HTS tapes [24].

** Operated under critical current value.



Fig. 2. Distribution of the HTS axial flux motor; 1a to 1c for lower stator phases, 1d to 1f for upper stator phases, and 2 for the central rotor.

tance per splice is computed from the V-I curve as presented in [24] (see Table I).

Fig. 2 gives a general overview of the motor. The upper phases of the stator are labeled 1a to 1c while 1f to 1d correspond to the lower ones. The rotor is labeled 2. Additional design details of the stator and rotor follow.

B. Stator

The construction of the stator was carried out by cutting and soldering HTS tapes so as to achieve the proposed geometry shown in Fig. 3, thereby avoiding tape bending. This process introduced a reduction in I_c of about 15% [24].

After soldering the tapes together using solder Sn (60%)-Ag (40%), the assembly was embedded in epoxy resin to



Fig. 3. On the left, detail construction of each phase of the upper and lower stators; on the right, the rotor.



TABLE II Stator General Dimensions

Fig. 4. Configuration of phase connections labeled A–A, A–B, and A–C.

achieve mechanical support. Table II summarizes the resulting dimensions of both upper and lower stators.

Fig. 4 shows an overview of the electrical connections following a delta connection. These connections were chosen considering the phase displacement between the upper and lower stator. The zero position is given by the alignment of the radial tapes of the upper and lower stator.

C. Rotor

The rotor cage was designed to be as close as possible of a disk-like shape. This geometrical configuration allows maximizing the actual amount of magnetic flux crossing the rotor poles. The rotor then made of 32 radial branches short-circuited by azimuthal tapes at the inner and outer diameter with the same



Fig. 5. General overview of the A–B connection performed for 2D FEA simulation.

 D_o/D_i ratio as of the stators in order to have the greater magnetic coupling between stator and rotor. Fig. 5 shows the general rotor construction.

Considering the steady state performance in the motor a 2D Finite Element Analysis (FEA) was performed computing the magnetic flux density in the air gap considering in first approximation the sole contribution of the radial tapes. This simplified model served as basis to find the optimum design parameters of the motor.

IV. FEA BASE DESIGN

For this preliminary study, the phase distribution was shuffled around in order to obtain best magnetic coupling between rotor and stator with the smallest distortion of the magnetic flux density at the air gap. The phase distribution follows Fig. 4, and Fig. 5 shows details of phase distribution. A comparative study was performed to determine the best possible configuration amongst the different connections A–A, A–B, and A–C.

V. FINITE ELEMENT ANALYSIS

A. 2D FEA Simulations

A preliminary 2D magnetostatic model based on a potential vector formulation was implemented using the open-source software FEMM, solving [25]:

$$\nabla \times \left(\frac{1}{\mu_0} \nabla \times \mathbf{A}\right) = \mathbf{J}_e \tag{4}$$

where is J_e the current density in the stator. The model does not yet include the induction in the rotor and was mainly used at the time to crosscheck the analytical results obtain with (2) and (3) and determine the best phase configuration as part of the design efforts. Fixing the potential vector equal to 0 at the boundary layer of the model, the solution $\mathbf{A}(x, y, z, t)$ is obtained over the entire model. The magnetic flux density was then derived on one of the radial tape of rotor using:

$$\mathbf{B} = \nabla \times \mathbf{A}.\tag{5}$$

Fig. 6 shows the magnetic flux density calculated for an air gap thickness λ equal to 3 mm and the phase configuration A–B following the connection as depicted in Fig. 4. The magnetic flux density per unit length is then computed over each rotor pole, which allows estimating the static torque.



Fig. 6. FEA of magnetic flux density in teslas for A–B phase connection including the presence of the rotor.



Fig. 7. General test setup to evaluate the torque performance of the HTS motor.



Fig. 8. Magnetic flux density for each phase connection measured on the rotor.

VI. TEST RESULTS

To evaluate the torque performance, the HTS motor was coupled to a DC drive and the torque produced by the motor was recorded by a DAQ system as depicted in Fig. 7.

The magnitude of the air gap magnetic flux density directly affects the torque level whereas its harmonic content is responsible torque ripples as discussed in [26]. Fig. 8 shows the magnetic flux density in the rotor depending on phase connections. The biggest distortion occurs in configurations A–A and A–C leading to a waver signal of lower magnitude. Those experimental results were compared with computational ones as given in Fig. 6 showing good agreement despite the model simplifications yielding a measured 0.08 Nm against a computed value equal to 0.07 Nm.



Fig. 9. Torque magnitude versus time depending on the connection between upper and lower stators.



Fig. 10. Torque oscillation depending on rotor position and phase connections.

Configuration A–B gives a more stable magnetic flux in the pole, producing a higher torque at minor torque ripples as depicted by Figs. 9 and 10, the latter showing the ripple torque depending of rotor position and the ripple variation of function of phase connection.

VII. CONCLUSION

The determination of phase distribution for optimum design of a full HTS machine using HTS tape assembly was presented. The best results were obtained in the A–B configuration with greater torque at lower ripples. A preliminary 2D model was implemented with good agreement with experimental results in static regime that helped defining the appropriate air gap thickness and phase distribution. This model will be refined to include dynamic processes such as induced current in the rotor and the derivation of time-dependent parameters such as torque and velocity to complete the design and experimental work with more refined analysis.

REFERENCES

- C. C. Chan, "Axial-field electrical machines—Design and applications," *IEEE Trans. Energy Convers.*, vol. EC-2, no. 2, pp. 294–300, Jun. 1987.
- [2] S. Huang, J. Luo, F. Leonardi, and T. A. Lipo, "A comparison of power density for axial flux machines based on general purpose sizing equations," *IEEE Trans. Energy Convers.*, vol. 14, no. 2, pp. 185–192, Jun. 1999.
- [3] J. Lopez et al., "AC three-phase axial flux motor with magnetized superconductors," *IEEE Trans. Appl. Supercond.*, vol. 17, no. 2, pp. 1633–1635, Jun. 2007.

- [4] J. F. Gieras, R. J. Wang, and M. J. Kamper, *Axial Flux Permanent Magnet Brushless Machines*. Boston, MA, USA: Kluwer, 2004.
- [5] S. Gruss et al., "Trapped fields beyond 14 Tesla in bulk YBa2Cu3O7-d," *IEEE Trans. Appl. Supercond.*, vol. 11, no. 1, pp. 3720–3723, Mar. 2001.
- [6] Z. Q. Zhu and D. Howe, "Influence of design parameters on cogging torque in permanent magnet machines," *IEEE Trans. Energy Convers.*, vol. 15, no. 4, pp. 407–412, Dec. 2000.
- [7] K. Atallah, J. Wang, and D. Howe, "Torque-ripple minimization in modular permanent-magnet brushless machines," *IEEE Trans. Ind. Appl.*, vol. 39, no. 6, pp. 1689–1695, Dec. 2003.
 [8] J. Ogawa *et al.*, "Influence of AC external magnetic field perturbation
- [8] J. Ogawa *et al.*, "Influence of AC external magnetic field perturbation on trapped magnetic field in HTS bulk," *Phys. C, Supercond.*, vol. 386, pp. 26–30, Apr. 2003.
- [9] Y. Tsuboi and H. Ohsaki, "Torque characteristics of a motor using bulk superconductors in the rotor in the transient phase," *IEEE Trans. Appl. Supercond.*, vol. 13, no. 2, pp. 2210–2213, Jun. 2003.
- [10] Z. Nasiri-Gheidari and H. Lesani, "A survey on axial flux induction motors," *Przeglad Elektrotechniczny*, vol. 88, no. 2, pp. 300–305, Feb. 2012.
- [11] M. Aydin, R. Qu, and T. A. Lipo, "Cogging torque minimization technique for multiple-rotor, axial-flux, surface-mounted-PM motors: Alternating magnet pole-arcs in facing rotors," in *Proc. IEEE IAS Annu. Meet. Conf.*, Salt Lake City, UT, USA, 2003, pp. 555–561.
- [12] P. J. Masson, M. Breschi, P. Tixador, and C. A. Luongo, "Design of HTS axial flux motor for aircraft propulsion," *IEEE Trans. Appl. Supercond.*, vol. 17, no. 2, pp. 1533–1536, Jun. 2007.
- [13] R. Wallace, L. Moran, G. Cea, and F. Perez, "Design and construction of medium power axial flux induction motor," in *Proc. 5th Int. Conf. Elect. Mach. Drives*, Sep. 11–13, 1991, pp. 260–265.
- [14] F. Caricchi, F. Crecimbini, and E. Santini, "Axial-flux electromagnetic differential induction motor," in *Proc. Conf. Elect. Mach. Drives*, Sep. 1995, pp. 1–5.
- [15] M. Valtonen, A. Parviainen, and J. Pyrhönen, "Electromagnetic field analysis of 3D structure of axial-flux solid-rotor induction motor," *Proc.* SPEEDAM, 2006, pp. S39-12–S39-16.

- [16] A. Benoudjit and N. Nait Saïd, "New dual-airgap axial and radial-flux induction motor for on wheel drive electrical propulsion systems," in *Proc. POWERCON*, 1998, vol. 1, pp. 615–619.
- [17] W. S. Leung and C. C. Chan, "A new design approach for axial-field electrical machines," *IEEE Trans. Power App. Syst.*, vol. PAS-99, no. 4, pp. 1679–1685, Jul. Aug 1980.
- [18] M. Valtonen, A. Parviainen, and J. Pyrhönen, "Influence of the air-gap length to the performance on an axial-flux induction motor," in *Proc. Int. Conf. Elect. Mach.*, 2008, pp. 1–5.
- [19] M. Trapanese, V. Franzitta, and A. Viola, "Design and performance of high temperature superconducting axial flux generator," *IEEE Trans. Magn.*, vol. 49, no. 7, pp. 4113–4115, Jul. 2013.
- [20] Z. Nasiri-Gheidari and H. Lesani, "Design optimization of a single-phase axial flux induction motor with low torque ripple," *Elect. Rev.*, vol. 8, no. 3, pp. 168–172, 1 2012.
- [21] H. Sugimoto *et al*, "Design of an axial flux inductor type synchronous motor with the liquid nitrogen cooled field and armature HTS windings," *IEEE Trans. Appl. Supercond.*, vol. 17, no. 2, pp. 1571–1574, Jun. 2007.
- [22] H. Sugimoto *et al*, "Development of an axial flux type PM synchronous motor with the liquid nitrogen cooled HTS armature windings," *IEEE Trans. Appl. Supercond.*, vol. 17, no. 2, pp. 1637–1640, Jun. 2007.
- [23] R. H. Engelmann and W. H. Middendorf, Handbook of Electric Motors. New York, NY, USA: Marcel Dekker, 1995.
- [24] A. González-Parada, F. J. Espinosa-Loza, and R. Bosch-Tous, "Inductive method for the determination of the critical current *Ic* of HTS stators in axial flux configuration," *IEEE Trans. Appl. Supercond.*, vol. 22, no. 3, Jun. 2012, Art. ID. 9500104.
- [25] D. Meeker, "Finite element method magnetics," HomePage/FEMM Reference Manual, 2010. [Online]. Available: http://www.femm.info/ wiki/HomePage
- [26] R. Islam, I. Husain, A. Fardoun, and K. McLaughlin, "Permanent-magnet synchronous motor designs with skewing for torque ripple and cogging torque reduction," *IEEE Trans. Ind. Appl.*, vol. 45, no. 1, pp. 152–160, Jan./Feb. 2009.