

Mr. Roberto Carlos Salas Segoviano

June 6, 2012

Page 2

Alternatively, the word 'patent' or the abbreviation 'pat.' may be applied to the article together with an address of a posting on the Internet, accessible to the public without charge for accessing the address, that associates the patented article with the number of the patent. If marking the articles is not possible, then the marking should be applied to packages containing such articles.

Please note that, in order to avoid further expense to you, we have not reviewed the patent for printing errors. Since such errors are frequent at the U.S. Patent and Trademark Office, we recommend that you carefully review the patent for any errors. Please notify us promptly of any significant errors which you find, so that a Certificate of Correction may be filed where appropriate. Obvious errors need not normally be corrected and may be refused correction by the Patent Office. If you would like us to proofread the patent, please let us know. The cost for proofreading is \$250 for the first five pages of text and \$50 per additional page.

Please also note that U.S. law permits reissue of a patent where the patent, through error without any deceptive intention, is deemed wholly or partially inoperative or invalid by reason of claiming more or less than the inventor(s) had a right to claim. A request to reissue a patent without broadening any claim can be filed at any time to correct problems which threaten the validity or enforceability of the patent. A request to reissue a patent with broader claims can be filed only within two years of the issuance of the patent. The patent should be carefully reviewed before its two-year anniversary to decide whether a request for a reissue should be considered.

Best regards,



William W. Schwarze

WWS/ml

Enclosure

**RECEIPT OF PATENT IS HEREBY ACKNOWLEDGED:**

**BY:** \_\_\_\_\_

**DATE:** \_\_\_\_\_